ADVANCED DIGESTIVE CARE, LLC

NORTHERN VIRGINIA GASTROINTESTINAL ASSOCIATES, LTD

Colonoscopy and **CLENPIQ** Instructions

Your procedure is	scheduled or	າ/	_ at	:am/pm	Check in time::am/pm		
☐ Woodburn Endosco 3301 Woodburn Ro Annandale, VA 220 (703) 752-2557 ☐ Go to www.woodburnence	d Suite 109 103	3 F	300 Gallov alls church 703) 776-2	, VA 22042 000	McLean Surgery Center 7601 Lewinsville Rd Suite 440 Mclean, VA 22102 (703) 663-1428 building**** Go to www.onemedicalpassport.com to complete your	r	
Click "For Patient" tab at the top Print and Fill-in all 4 "Patient Check-In Forms"					medical history. Upon completion of your medical history please contact (703) 663-1428 for phone interview wit pre-op nurse.	-	
If your procedure is scheduled at 2:00 p.m. Or after your ride MUST remain at the facility during your procedure					**Your ride MUST remain at the facility during your pro	cedure**	
Cancellation Policy: C insurance. If you need			_		ness days incur a \$350 charge. This charge is not covered	yd by	
The Week BEFORE Colonoscopy	 <u>Stop</u> taking Iron-containing vitamins and medications <u>Stop</u> the following blood thinners <u>if</u>, and <u>only if</u>, the Prescribing Physician approves for the number of days s/he allows: Plavix, Clopidogrel, Effient, Brillinta, Coumadin, Warfarin, Pradaxa, Xarelto and Eliquis. Please notify GI office in advance if prescribing physician does not approve stopping any of these meds. ONE week prior avoid ALL Nuts, popcorn, marmalades and seeds, including fresh fruits that contain seeds like strawberries. You MAY have COOKED Vegetables but AVOID RAW Vegetables. 						
	Upon	_			CLEAR LIQUID Diet. (See table on next page)		
The Day BEFORE	waking Between 3pm-7pm			k 5, 8oz cups of	n hydrated. Drink lots of liquid throughout the day. f clear liquids.		
Colonoscopy	7:00 pm	7:00 pm Drink one bottle of CLENPIQ. (Drink CLENPIQ right from the bottle) Drink 5, 8oz. cups of clear liquids.					
	1						
The Day of Colonoscopy	•	from the bot Drink 3, 8oz. TAKE NOTHI	tle) cups of NG BY M	clear liquids. (e, Drink the other bottle of CLENPIQ. (Drink CLENF (You have 1 hour to finish prep and liquids) N 3 HOURS OF YOUR CHECK-IN TIME. with Clear Liquids up until 3hrs. Before your CHEC	-	

Clear Liquid Diet List:

- Gatorade, Powerade (sports drinks with electrolytes are recommended to help with hydration)
- Water, tea, or coffee (No cream or milk; sugar is ok)
- Broth or Bouillon
- Jell-O[®], Popsicles[®], Italian ice (no fruit or cream added)
- Apple, white grape, or white cranberry juice (No orange, tomato, grapefruit, prune, or any juice with pulp)
- Soda such as Sprite[®], 7-Up[®], ginger ale, or any cola
- Clear hard candy, gum
- Lemonade (with no pulp), iced tea
- Avoid all **RED** and **PURPLE** liquids—they can look like blood in the colon!

Important Notes and Helpful Hints:

- 1. Nothing by Mouth within 3hrs of your check-in time. This includes clear liquids, candy, and gum. Taking anything by mouth within 3hrs of check-in will cause a delay or cancellation of your procedure.
- 2. Your exam will only be as good as your colon prep. A good sign that the prep has been effective is the transition to clear, watery bowel movements. If, 2 hours prior to your check-in time, your bowel movements are <u>not</u> clear (that is, if they are still solid or mostly brown), please call the phone number below for instructions.
- 3. Many patients find that chilling the laxative and drinking through a straw improve tolerance.
- 4. You may use baby wipes instead of toilet paper and Vaseline in case of a sore bottom.
- 5. Remain close to toilet facilities as multiple bowel movements may occur. The prep often starts working within an hour but may take many hours to start working.
- 6. You may take oral medications with water during the prep and up to 3 hours before check-in time.
- 7. Please allow 7-10 business days for all the exam results.

Diabetic Patients:

- 1. Please refer to **Diabetic Protocol** form provided by our office and Hold (do not take) your diabetic medication the morning of the colonoscopy.
- 2. Use sugar free drinks for liquids (like Crystal Light) during the prep to avoid increases in blood sugar. Monitor and control your blood sugar closely during your prep to prevent low and high blood sugar. Note: Your procedure may need to be cancelled if your blood sugar is over 300mg/dl on arrival.

If you have any questions AFTER you have read your instructions, please call us at

(703) 876-0437

There is a \$350 LATE CANCELLATION FEE for procedures not cancelled at least SEVEN (7) BUSINESS DAYS prior to your procedure date. Your insurance will not cover this fee, you are responsible for the payment. If you must cancel, do not call the facility where your procedure is scheduled, please call our office at (703) 876-0437.